## AMENDMENTS TO THE CLAIMS

Please amend claims 1 and 13-15 as follows, and cancel claims 8 and 9.

- 1. (Currently Amended) A method for producing an avian <u>germline</u> chimera using spermatogonial cells, which comprises the steps of:
- (a) retrieving a testis from a donor ave;
- (b) isolating a testicular cell population from said testis;
- (c) culturing said testicular cell population in a medium supplemented with a cell growth factor to obtain a spermatogonial cell population; and
- (d) injecting said cultured spermatogonial cell population or said testicular cell population into a testis the most upper portion of the seminiferous tubule of a recipient ave to produce said avian germline chimera.
- 2. (Original) The method according to claim 1, wherein said step (b) is conducted by treating a tissue of said testis retrieved with collagenase, trypsin or mixture thereof.
- 3. (Original) The method according to claim 1, wherein said cell growth factor is selected from the group consisting of fibroblast growth factor, insulin-like growth factor-1, stem cell factor and combination thereof.
- 4. (Original) The method according to claim 1, wherein said medium further comprises differentiation inhibitory factor.

- 5. (Original) The method according to claim 1, wherein said differentiation inhibitory factor is leukemia inhibitory factor.
- 6. (Original) The method according to claim 1, wherein said medium contains a supplement comprising a mixture of fibroblast growth factor, insulin-like growth factor-1 and leukemia inhibitory factor.
- 7. (Original) The method according to claim 1, wherein said medium further comprises a serum and an antioxidant.

8 and 9 (Canceled).

- 10. (Original) The method according to claim 1, wherein said are is selected from the group consisting of a chicken, a quail, a turkey, a duck, a goose, a pheasant or a pigeon.
- 11. (Original) The method according to claim 1, wherein said donor and said recipient are different species.
- 12. (Original) The method according to claim 1, wherein said method further after the step (d) comprises the step of conducting a testcross to verify whether said recipient injected with said cultured spermatigonial cell population is chimera.

- 13. (Currently Amended) An avian germline chimera characterized in that it maintains spermatogonial cells of a donor in its testis, it has the ability to produce spermatozoa from said spermatogonial cells and said spermatozoa undergo a germline transmission into progenies.
- 14. (Currently Amended) The avian <u>germline</u> chimera according to claim 13, wherein said avian chimera is produced by any one of the methods of claims 1<u>-7</u>, to <u>10</u> and <u>11</u>.
- 15. (Currently Amended) A method for producing a transgenic ave, which comprises the steps of:
  - (a) retrieving a testis from a donor ave;
  - (b) isolating a testicular cell population from said testis;
- (c) culturing said testicular cell population in a medium supplemented with a cell growth factor to obtain a spermatogonial cell population;
- (c') transferring a foreign gene into said cultured spermatogonial cell population or testicular cell population;
- (d) injecting said cultured spermatogonial cell population or testicular cell population into a testis the most upper portion of the seminiferous tubule of a recipient ave; and
  - (e) producing a progeny from said recipient to obtain said transgenic ave.